

ICS 65.020.30

CCS B 43

T/CAAA xxx-2022

Formula feed for meat rabbit

T/CAAA xxx-2022

1

2

| | |
|--------------|-----|
| GB/T 5918 | 凯 |
| GB/T 6432 | |
| GB/T 6433 | |
| GB/T 6434 | |
| GB/T 6435 | |
| GB/T 6436 | |
| GB/T 6437 | 凯 |
| GB/T 6438 | |
| GB/T 6439 | |
| GB/T 8170 | |
| GB 10648 | |
| GB 13078 | |
| GB/T 14699.1 | |
| GB/T 18246 | |
| GB/T 18823 | |
| GB/T 19371.2 | |
| GB/T 20805 | ADL |
| GB/T 20806 | ADF |
| NY/T 1459 | NDF |

3

3.1

Fattening Rabbit

3.2

Breeding Rabbit

4

4. 1

4. 2

14.0%

4. 3

凱

10%

4. 4

1

1

| /% | 14.0 | 16.0 |
|-----|-----------|-----------|
| /% | 0.75 | 0.80 |
| a/% | 0.55 | 0.60 |
| /% | 0.70 | 0.90 |
| /% | 10.0 | 10.0 |
| /% | 2.0 | 3.0 |
| /% | 15.0 | 13.0 |
| /% | 30.0 | 28.0 |
| /% | 18.0 | 16.0 |
| /% | 5.0 | 4.5 |
| /% | 0.60 1.0 | 0.60 1.2 |
| /% | 0.40 0.60 | 0.40 0.80 |
| /% | 0.40 1.0 | 0.40 1.0 |
| | | |
| a | + | |

4. 5

B1 20 g /kg 150 g /kg
750 g /kg 100 g /kg 1000 g /kg
GB 13078

5

GB/T 14699.1

6

6. 1

4

| | | |
|-------|------------|--------------|
| 6. 2 | GB/T 6435 | |
| 6. 3 | GB/T 5918 | |
| 6. 4 | GB/T 6432 | |
| 6. 5 | GB/T 18246 | |
| 6. 6 | GB/T 18246 | GB/T 19371.2 |
| 6. 7 | GB/T 18246 | |
| 6. 8 | GB/T 6438 | |
| 6. 9 | GB/T 6433 | |
| 6. 10 | GB/T 6434 | |
| 6. 11 | NY/T1459 | |
| 6. 12 | GB/T 20806 | |
| 6. 13 | GB/T 20805 | |
| 6. 14 | GB/T 6438 | |
| 6. 15 | GB/T 6436 | |
| 6. 16 | GB/T 6437 | |
| 6. 17 | | |

7

7. 1

200 t

7. 2

7. 3

4

6

1

5

a
b
c 3
d
e

7. 4

7. 4. 1

7. 4. 2

7. 4. 3 GB/T 18823

7. 4. 4 GB/T 8170

8

8. 1

GB 10648

8. 2

8. 3

8. 4
